

**TOWN OF COVENTRY  
ZONING BOARD OF APPEALS  
NOTICE OF PUBLIC HEARING**

The Zoning Board of Appeals will hold public hearings on Tuesday, February 18, 2025, starting at 7:00 p.m. via Zoom and in person at the Town Hall Conference Room B located at 1712 Main Street, Coventry, CT on the following:

- **ZBA-25-1** – Request for variance from Table 4.04A.c of the Zoning Regulations to allow a reduction of the front yard setback from 20’ to less than 20’ from the property line, but no less than 10’ from the edge of pavement at 43 John Hand Drive in the LR Zone; Applicant: Gregory Pappas, Owner: Cathryn-Jean Fleming.
- **ZBA-25-2** - Request for variance from Table 4.04A.c of the Zoning Regulations to allow a reduction of the side yard setback from 15’ to 9’ at 237 Woodland Road in the LR Zone; Applicant/Owners: Eric and Cynthia Springer.

Interested persons may appear and be heard. Written communications will be accepted prior to the closing of the hearings. A copy of the applications are available at the Land Use office.

*To be published on Thursday February 6, 2025, and Thursday February 13, 2025, in the  
Willimantic Chronicle.*



Record & Return to:  
Eric and Cynthia Springer  
237 Woodland Road  
Coventry, CT 06238

Lori Tollmann, Coventry Town Clerk

**DECLARATION OF CONSOLIDATION**  
**Portion of 243 Woodland Road & 237 Woodland Road, Coventry, CT**

WHEREAS, Eric Springer and Cynthia Springer (hereinafter referred to as "Springer") are the owners of certain pieces or parcels of land, with buildings thereon situated in the Town of Coventry, County of Tolland and State of Connecticut known as a portion of 243 Woodland Road and 237 Woodland Road and depicted on a map or plan entitled "PLAN PREPARED FOR ERIC SPRINGER & MICHAEL NISBET 237/243/251 WOODLAND ROAD COVENTRY, CT. LOT LINE MODIFICATION SCALE: 1" = 20' DATE" 7/10/2024 FILE NO. 2024-30 SHEET: 1 OF 1 BUSHNELL ASSOCIATES LLC. CIVIL ENGINEERING AND LAND SURVEYING 563 WOODBRIDGE STREET MANCHESTER, CT. 06042 860-643-7875 REVISIONS: 9/19/2024 WETLANDS UPLAND REVIEW AREA ADDED 12/19/2024 HOUSE AND SHEDS REMOVED" which map or plan is to be filed simultaneously herewith in the Town Clerks Office of the Town of Coventry.

These properties are also known and shown on the above referenced map as follows:

FIRST PIECE – portion of 243 Woodland Road:

"PORTION OF 243 WOODLAND RD TO BE CONVEYED TO ERIC & CYNTHIA SPRINGER AND COMBINED W/ 237 WOODLAND RD 13,053 SQ. FT. +/- 0.30 ACRES +/-".

SECOND PIECE – 237 Woodland Road:

"N/F ERIC & CYNTHIA SPRINGER 237 WOODLAND ROAD VOLUME 1137 PAGE 106".

WHEREAS, Springer owns both of these separate parcels and recognizes that it is desirable that they be considered and used as a single parcel for zoning, subdivision and assessment purposes, the combined parcel to be known as 237 Woodland Road, Coventry, Connecticut.

NOW, THEREFORE, Springer hereby declares that the two parcels shall hereafter be merged into and considered a single parcel for all purposes.

Signed this 9 day of January 2025


Witnessed by:



Witness: William R. Broneill




Eric Springer



Witness:

Lorraine Hicke



Cynthia Springer

STATE OF CONNECTICUT:


: ss. Vernon

January 9, 2025

COUNTY OF TOLLAND :


On this the 9<sup>th</sup> day of January 2025, before me, the undersigned officer, personally appeared Eric Springer and Cynthia Springer, known to me (or satisfactorily proven) to be the persons whose names are subscribed to the within instrument and acknowledged that they executed the same for the purposes therein contained, as their free act and deed.

IN WITNESS WHEREOF, I hereunto set my hand and official seal.



William R. Broneill

Commissioner of the Superior Court



### ZBA-25-2

ZBA Application  
Status: Active  
Submitted On: 1/18/2025

### Primary Location

237 WOODLAND RD  
Coventry, CT 06238

### Owner

SPRINGER ERIC + CINDY SPRINGER  
WOODLAND RD 237 COVENTRY, CT 06238

### Applicant

Eric Springer  
 860-614-3113  
 ecspringer@comcast.net  
 237 Woodland Rd  
Coventry, CT 06238

Additional Applicant Info: Please note that "?" bubbles throughout the application provide additional helpful information when hovered over.

### Applicant Type\* ?

Owner

## Application Information

### Type of Application:\* ?

A variance in the application of the zoning regulations is requested

### Applicable Section of Regulation

Table 4.04A.c

### Application Recieved

01/24/2025

### Hearing Date

02/18/2025

### Hearing End Date

—

### Hearing Time

7:00 pm

### Total Votes

### Yes Votes

### Abstained

### Location

—

### Town Address ?

1712 Main Street, Coventry, CT 06238

### Advertising Date

02/06/2025

### Second Advertising Date

02/13/2025

### Notice Date

—

### Commission Decision

—

**🔒 Conditions of Approval:** [?](#)

IF variance, activity being applied for:\*

Proposed Structure is Outside the Regulated Set Back  
(Front, Rear, Side)

Detail of the specific, land-based hardship with respect to the zoning regulations. Upload a file below if necessary.\* [?](#)

Enclosed front porch 8'x28'. Extension of house already in the setback area historically.

If you wish to upload a file regarding hardship:



No File Uploaded

**🔒 Comment**

---

### Property Info

Map Block Lot M/B/L [?](#)

36/3/20

Building Type or Project Type

Single Family

Zone \* [?](#)

LR

Occupancy Type\*

Residential

Development Title [?](#)

Na

**🔒 View Permit PIN** [?](#)

Briefly describe the proposed project and/or activity.\* [?](#)

Build an attached enclosed front porch on 237 woodland rd

**🔒 Comments**

---

### Additional Project Info

Existing Gross Sqft

3388

Structure Size (Proposed Gross Sqft)

224

Existing Parking Spaces

–

Proposed Parking Spaces

–

Total Acreage / Sqft ?

25646

Linear Feet

–

Disturbed Acres

0

Is Property Located in Groundwater Protection District?

🔒 Extension Date

–

### Setbacks and Lot Coverage

🔒 Front Required

–

Front Setback Provided ?

(<https://www.coventryct.org/DocumentCenter/View/2119/Final-2016-04-22-UPDATED-ZONING-REGULATIONS?bidId=>)

20

🔒 Back Required

–

Back Setback Provided ?

(<https://www.coventryct.org/DocumentCenter/View/2119/Final-2016-04-22-UPDATED-ZONING-REGULATIONS?bidId=>)

20

🔒 Left Required

–

Left Setback

Provided(<https://www.coventryct.org/DocumentCenter/View/2119/Final-2016-04-22-UPDATED-ZONING-REGULATIONS?bidId=>)

15

🔒 Right Required

–

Right Setback Provided ?

(<https://www.coventryct.org/DocumentCenter/View/2119/Final-2016-04-22-UPDATED-ZONING-REGULATIONS?bidId=>)

15

Proposed Setback Encroachment (ft.)

5

🔒 Open Space Provided sqft ?

–

 Open Space Required

—

Lot Coverage Existing

([https://www.coventryct.org/DocumentCenter/View/110/LOT\\_COVER/bidId=](https://www.coventryct.org/DocumentCenter/View/110/LOT_COVER/bidId=))

13.2

Lot Coverage Proposed



([https://www.coventryct.org/DocumentCenter/View/110/LOT\\_COVERAGE\\_WORKSHEET?bidId=](https://www.coventryct.org/DocumentCenter/View/110/LOT_COVERAGE_WORKSHEET?bidId=))

14.1

## Legal Notices

Notifying abutting property owners using return-receipt mail is a requirement. Please indicate below if you need the mailing addresses provided to you:\*

No, I have the abutting property owner mailing addresses

Posting a Public Hearing sign on each street frontage is a requirement. Please indicate below if you need a sign from the town hall (\$3.00 per sign):\*

Yes, I need a Public Hearing sign(s) from the town hall

I am aware that there is a non-refundable \$760 fee (\$100.00 application fee, \$600.00 legal notice fee and \$60.00 State fee) plus a \$3.00 fee for each Public Hearing sign, to be paid when the application is submitted.



## Engineer Information: please enter if applicable

<b>Company Name*</b>	<b>Engineer Name*</b>
Bushnell & Associates	Andrew Bushnell
<b>Address: Street, City, State, Zip*</b>	<b>Phone Number*</b>
563 Woodbridge St< Manchester CT 06042	860-643-7876
<b>Registration #</b>	<b>Insurance Expiration</b>
24591	12/31/2025
<b>Email*</b>	
abushnell@bushnellassociatesllc.com	

### Architect Information: please enter if applicable

<b>Company Name*</b> Creative Designs and Drafting Services	<b>Architect Name*</b> Darryl Morin
<b>Registration #</b>	<b>License Expiration</b> -
<b>Address: Street, City, State, Zip*</b> S Windham CT	<b>Phone Number*</b> 8603777560
<b>Email*</b> unknown	<b>AOR</b>

### Administrative

**# of pages \$0.50/pg copies**

-

**# of pages \$7/pg copies**

-

**# of Signs\***

1

**# of Legal Notices**

3

### Consultant Reviews and Inspections

**# of Hours for Engineering Consultant Review**

-

**# of Hours for Wetlands Consultant Review**

-

**# of Hours for Town's Legal Counsel**

-

**# of Inspections for Erosion and Sediment Control Measures**

-

## Acknowledgments

I hereby certify that all information in relation to this application to be true and accurate to the best of my knowledge. The applicant and owner grants permission to the Coventry Zoning Board of Appeals, its members, and Agent to enter upon the property for the purpose of inspection and to perform any tests which are necessary.\*



I HEREBY ACKNOWLEDGE AND CERTIFY THAT I'M PERSONALLY FAMILIAR WITH ALL THE INFORMATION PROVIDED IN THIS APPLICATION AND THAT ALL STATEMENTS AND REPRESENTATIONS MADE ARE TRUE TO THE BEST OF MY KNOWLEDGE. I FURTHER CERTIFY THAT I AM AWARE OF THE PENALTIES FOR OBTAINING A PERMIT THROUGH DECEPTION OR THROUGH INACCURATE OR MISLEADING INFORMATION.\*




The applicant and owner grants permission to the Coventry Zoning Board of Appeals, its members, and Agent to enter upon the property for the purpose of inspection and to perform any tests which are necessary.\*




I agree that my electronic signature below is equivalent to a handwritten signature and is binding for all purposes related to this transaction.\*

 Eric Springer  
Jan 18, 2025






Typical LCC5.25-3.5 Installation  
Connecting a 3-ply LVL and a  
3/4"-diameter (O.D.) Steel Column



BCS Post Cap: Connects double 2x's to a  
4x post or triple 2x's to a 6x post. ZMAX  
coating or stainless steel recommended.

### GENERAL NOTES:

1. CONTRACTOR TO VERIFY AND CHECK DIMENSIONS, DATA AND DETAILS BEFORE STARTING CONSTRUCTION.
2. ROOF AND FLOOR LOADS:
  - 1ST FLOOR 40 PSF LIVE LOAD W/10# DEAD = 50 PSF
  - 2ND FLOOR 40 PSF LIVE LOAD W/10# DEAD = 50 PSF
  - ATTIC 20 PSF LIVE LOAD W/10# DEAD = 30 PSF
  - ROOF 35 PSF LIVE LOAD W/10# DEAD = 45 PSF
3. ALL EXTERIOR WINDOW AND DOOR HEADERS TO BE TWO 2"x10" UNLESS OTHERWISE NOTED.
4. WRAP EXTERIOR WALL OF SUN-ROOM/GARAGE WITH TYVEK BY DUPONT WHERE NEEDED.
5. ALL FLOOR AND CEILING PENETRATIONS TO BE FIRE STOPPED.
6. USE DRIP CAPS ABOVE ALL EXTERIOR WINDOWS AND DOORS WHERE NEEDED.
7. USE PROPER FLASHING UNDER ALL EXTERIOR DOORS.
8. ALL L.V.L. BEAMS TO BE VERIFIED BY MANUFACTURER
9. CONTRACTOR TO COMPLY WITH 2021 IRC CODE REQUIREMENT MANUAL.
10. ALL CIRCUITS TO BE PROTECTED BY ARC FAULT BREAKERS INCLUDING SMOKE DETECTORS.
11. ALL WINDOWS 72" ABOVE GRADE AND LESS THAN 24" FROM FLOOR NEEDS INTERGRATED FALL PROTECTION.
12. TOTAL FINISHED SQUARE FEET OF SUN-ROOM = 208 SQ.FT.  
GARAGE = 762 SQ.FT.  
EXCLUDING ROOM ABOVE GARAGE




Method PFG: Portal Frame at Garage Door Openings in Seismic Design Categories A, B and C

### Ledger Attachment

One of the most common causes for deck failure is ledgers that pull away from the primary structure, resulting in complete collapse.

The Simpson Strong-Tie® Strong-Drive® SDWS Timber and SDWH Timber-Hex structural wood screws provide an easy-to-install, high-strength alternative to lag screws and through-bolts. They are ideal for securely attaching ledgers to structural wood members, are easier to drive than comparable fasteners and are coated for many exterior and preservative-treated wood applications.




#### Strong-Drive® Structural Wood Screw



- Patented points, serrated thread and knurled shank reduce installation torque
- Identification on all screw heads
- Low-profile washer head on SDWS provides excellent bearing area and a clean look

For stainless-steel ledger fastening, use the Strong-Drive SDWH Timber-Hex SS screw (page 33).




For more information on ledger attachment see Fastening Systems catalog C-F-2017 and Tier F-SDWS/SDWH.

#### Code Requirements

- Where supported by attachment to an exterior wall, decks shall be positively anchored to the primary structure and designed for both vertical and lateral loads. Such attachment shall not be accomplished by the use of toenails or nails subject to withdrawal.  
IRC 2012/2015 Section R507.1  
IBC 2012/2015 Section 1604.8.3
- Deck ledgers shall not be supported on stone or masonry veneer.  
IRC 2015 Section R507.2.1  
IRC 2012 Section R507.2.2
- Lag screws and bolts (1/2" diameter) may be used in details for a ledger to band joist, to support a deck live load = 40 psf, and a deck dead load = 10 psf.  
IRC 2012/2015 Table R507.2
- Deck ledger connections to band joists shall be in accordance with this section. For other grades, species, connection details and loading conditions, deck ledger connections shall be designed in accordance with IRC Section R301.  
IRC 2015 Section R507.2  
IRC 2012 Section R507.2.2


Selection of products based upon performance and/or suitability for a specific application should be made by a qualified professional. Simpson Strong-Tie recommends that deck designs be approved by the local building department before construction begins.

Stainless-steel connectors are also available for higher-exposure environments or applications using certain preservative-treated woods. See page 27 for more detail.




**OVERHANG DETAIL**

SCALE: 1 1/2"=1'-0"




**OVERHANG DETAIL**

SCALE: 1 1/2"=1'-0"




**OVERHANG DETAIL**

SCALE: 1 1/2"=1'-0"




**BUILDING SECTION**


SCALE: 3/8"=1'-0"



**BUILDING SECTION**  
 SCALE: 1/4"=1'-0"



**BUILDING SECTION**  
 SCALE: 1/4"=1'-0"



**BUILDING SECTION**  
 SCALE: 1/4"=1'-0"

**DTT Deck Tension Ties**

DTT tension ties are safe, cost-effective connectors designed to meet or exceed code requirements for deck construction. These versatile DTT connectors are also load rated as a holdown for light-duty shearwalls and braced wall panel applications.

For new construction or to make an existing current deck code-compliant, the DTT12 can be used as a tension-tie to satisfy the 2015 IRC provision for a 750 lbs. lateral load connection to the house at four locations per deck. This new code detail permits the lateral connection from the deck joists to be made to top plates, studs, or headers within the supporting structure, which eliminates the need to access to the floor joists inside the home.

The new DTT12 fastens to the narrow or wide face of a single 2x with Simpson Strong-Tie® Strong-Drive® SD Connector screws or nails and accepts a 3/4" machine bolt, anchor bolt, or lag screw (washer required) or can be installed with the new Strong-Drive SDWH® Timber-Hex HDG screw with an integral washer. The DTT2 fastens easily to the wide face of a single or double 2x using Simpson Strong-Tie Strong-Drive SDS Heavy-Duty Connector screws (included) and accepts a 1/2" machine bolt or anchor bolt.

The DTT2 can be used to satisfy the IRC provision for a 1,500 lbs. lateral load connection at two locations per deck. Additionally, the DTT2 has been tested and evaluated in deck guardrail load applications to resist the code-specified lateral forces at the top of railing assemblies. The DTT2 is also available with longer 2 1/2" Strong-Drive SDS Heavy-Duty Connector screws (model DTT2-SDS2.5) to achieve higher loads when needed.

**MATERIAL:** 14 gauge  
**FINISH:** DTT12/DTT2Z—ZMAX® coating; DTT2SS—stainless steel; see Corrosion Information, pages 13-15.

**INSTALLATION:**

- Use all specified fasteners. See General Notes.
- A standard cut washer (included) must be installed between the nut and the seat.
- Simpson Strong-Tie Strong-Drive SDS Heavy-Duty Connector screws install best with a low speed high torque drill with a 3/8" hex head driver.
- Strong-Drive SD Connector screws install with a 1/2" hex head driver.
- Strong-Drive SDWH Timber-Hex HDG screws install with a 1/2" hex head driver.

**CODES:** See page 12 for Code Reference Key Chart.


DTT12  
 U.S. Patent Pending

Typical DTT12 Deck-to-House Lateral Load Connection  
 For more information on lateral load connections, see technical bulletin T-DECK/LATLOAD

ABW Adjustable Post Base with Standoff Available in ZMAX® coating.

H2.5A Hurricane Tie: Suitable for single-sided applications. ZMAX coating or stainless steel recommended.

FOUNDATION FOR NEW GARAGE IS 1'-0" HIGHER THAN EXISTING



UNEXCAVATED  
4" CONC. FL.  
OVER 6" MIN. COMPACTED  
BANK-RUN GRAVEL

16" Ø CONC. PIERS


6'-0"  
1'-4 1/2" M.O.  
26'-0"

6'-0" 8'-0"

6'-0" 1'-0"

29'-4"


26'-0"



EXISTING BASEMENT

3'-1 1/2" x 10" BEAM  
24" x 24" x 10" CONC. FOOTING

2" x 8" @ 16" O.C.  
12" Ø CONC. PIERS




**FOUNDATION NOTES:**


- 1) 0'-8" CONC. FOUNDATION WALL ON 1'-6"x10"-10" CONC. FOOTING
- 2) USE TWO #4 REBAR, ONE 12" DOWN FROM TOP OF FOUNDATION ANOTHER ONE MID WAY DOWN (WHERE NEEDED)
- 3) USE 3000 PSI CONCRETE FOR FOOTING AND WALLS
- 4) USE 3500 PSI CONCRETE FOR FLOORS

**FOUNDATION PLAN**  
SCALE: 1/4"=1'-0"






**SECOND FLOOR PLAN**  
SCALE: 1/4"=1'-0"




**RIGHT SIDE ELEVATION**  
SCALE: 1/4"=1'-0"






**LEFT SIDE ELEVATION**  
SCALE: 1/4"=1'-0"





**REAR ELEVATION**  
SCALE: 1/4"=1'-0"



**FRONT ELEVATION**  
SCALE: 1/4"=1'-0"



9589 0710 5270 1762 1940 58

# U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only


For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.  
Coventry, CT 06238

Certified Mail Fee	\$4.85	0143
\$	\$4.10	1
Extra Services & Fees (check box, add fees as appropriate)	\$0.00	
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	

Postage \$0.73  
Total Postage and Fees \$9.68

Sent To *Mr. and Mrs. Roy Pelletier*  
Street and Apt. No., or PO Box No. *220 Springdale Ave*  
City, State, ZIP+4® *Coventry, CT 06238*

PS Form 3800, January 2023 PSN 7530-02-000-9047 See Reverse for Instructions



9589 0710 5270 1762 1940 65

# U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only


For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.  
Coventry, CT 06238

Certified Mail Fee	\$4.85	0143
\$	\$4.10	1
Extra Services & Fees (check box, add fees as appropriate)	\$0.00	
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	

Postage \$0.73  
Total Postage and Fees \$9.68

Sent To *Mr. and Mrs. Mark Shroyer*  
Street and Apt. No., or PO Box No. *252 Woodland Rd.*  
City, State, ZIP+4® *Coventry, CT 06238*

PS Form 3800, January 2023 PSN 7530-02-000-9047 See Reverse for Instructions



9589 0710 5270 1762 1940 72

# U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.  
Tolland, CT 06084

Certified Mail Fee	\$4.85	0143
\$	\$4.10	1
Extra Services & Fees (check box, add fees as appropriate)	\$0.00	
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	

Postage \$0.73  
Total Postage and Fees \$9.68

Sent To *Mr. and Mrs. Lori Nisbet*  
Street and Apt. No., or PO Box No. *11 Autumn Dr.*  
City, State, ZIP+4® *Tolland, CT 06084*

PS Form 3800, January 2023 PSN 7530-02-000-9047 See Reverse for Instructions



9589 0710 5270 1762 1940 41

# U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.  
Coventry, CT 06238

Certified Mail Fee	\$4.85	0143
\$	\$4.10	1
Extra Services & Fees (check box, add fees as appropriate)	\$0.00	
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00	
<input type="checkbox"/> Return Receipt (electronic)	\$0.00	
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00	
<input type="checkbox"/> Adult Signature Required	\$0.00	
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00	

Postage \$0.73  
Total Postage and Fees \$9.68

Sent To *Mr. David Barrientes*  
Street and Apt. No., or PO Box No. *229 Woodland Rd.*  
City, State, ZIP+4® *Coventry, CT 06238*

PS Form 3800, January 2023 PSN 7530-02-000-9047 See Reverse for Instructions

