

**PLANTING SCHEDULE**

SYMBOL	SPECIES (COMMON)	SPECIES (LATIN)	QUANTITY	HEIGHT*	CALIPER
A	DWARF ALBERTA SPRUCE	PICEA CLAUCA 'GONICA'	4	10'-12"	
B	PROCUMBENS NANA JUNIPER	JUNIPEROUS PROCUMBENS NANA	27	18"-24"	
C	SAN JOSE JUNIPER	JUNIPEROUS SAN JOSE	13	3'-4'	
D	HOSTA	HUNDULATA	4	3'	
E	WILLMOTTIAE POTENTILLAS	P. NEPALENSIS	7	10"	
F	ROSEY GLOW BARBERRY	BERBERIS ROSEY GLOW	8	15"-18"	
G	DELAWARE AZALEA	AZALEA DELAWARE	6	18"-24"	
H	SHADEMASTER LOCUST	GLEDITSIA TRILINERMIS	2		2-2.5"

OWNER RESERVES THE RIGHT TO SUBSTITUTE SPECIES, DEPENDING UPON AVAILABILITY AND QUALITY OF PLANTING MATERIAL.

\*HEIGHT AT MATURITY (2-3 GALLON SIZE AT TIME OF PLANTING)

**Town of Coventry**  
 OFFICE OF PLANNING, DEVELOPMENT, ZONING, AND INLAND WETLANDS (860) 742-4062

CERTIFIED MAIL # P 206 220 202  
 March 30, 1998

Gail Dickenson  
 732 Bolton Road  
 Vernon CT 06066

Dear Ms. Dickenson:

At its regular meeting on March 25, 1998, the Coventry Inland Wetlands Agency made the following decision:

Approved application 98-02W of Gail Dickenson for filling and grading in regulated areas associated with commercial site development. The property is located at Boston Turnpike (Assessor's Map 9, Block 11, Lot 28).

The following conditions apply:

- All excess material to be disposed of off site.
- All stumps to be hauled to an approved disposal area off site.
- All excess top soil to be hauled off site.
- When the project is complete, and prior to the issuance of a CO, there must be no stockpiled material on site.

Please retain this copy of the approval letter for placement on the final plans, pending Planning and Zoning Commission approval.

Sincerely,

*Stephen Wallace*  
 Stephen Wallace  
 Inland Wetlands Agent

SW/lpc

cc: Holmes and Henry Associates

- NOTES**
- THE PROPERTY IS SHOWN ON ASSESSOR'S MAP 9 BLOCK 11 LOT 28.
  - CONTOURS SHOWN WERE FIELD DERIVED AND BASED ON ASSUMED DATUM.
  - THE PROPERTY IS NOT LOCATED IN A FLOOD HAZARD ZONE A.
  - THE CONTRACTOR IS RESPONSIBLE FOR SECURING ALL NECESSARY PERMITS.
  - A VARIANCE WAS GRANTED BY ZBA ON 10/18/94 FOR LOT AREA AND LOT FRONTAGE.
  - PERMIT TO CONNECT CURTAIN DRAIN INTO CATCH BASIN WAS GRANTED BY DOT ON 2/20/97.
  - PERMIT TO CONTRACT A BITUMINOUS DRIVEWAY APRON WAS GRANTED BY DOT.
  - PROPOSED LOT COVERAGE = 7.8% ( 29.9% PER SEC. 4.2.B.5.e )
  - A DRIVEWAY EASEMENT BETWEEN THIS LOT AND LOT 29 SHALL BE PLACED IN THEIR RESPECTIVE DEEDS.

**ZONING TABLE**

ZONE	C-2 BUSINESS ZONE
MIN. LOT AREA	5 ACRES
MIN. LOT FRONTAGE	500 FEET
MIN. LOT DEPTH	450 FEET
BUILDING LINE	75 FEET
SIDE YARD	25 FEET
REAR YARD	50 FEET
MAX. LOT COVERAGE	30%


OWNER/APPLICANT: GAIL DICKENSON  
 732 BOLTON ROAD  
 VERNON, CT 06066

THE WETLAND SOILS ON THIS MAP WERE IDENTIFIED IN THE FIELD USING THE CRITERIA REQUIRED BY CT PA 72-155 AS AMENDED BY PA 73-571 AND ARE ACCURATELY REPRESENTED ON THIS PLAN.

*J.P. Ianni*  
 JOHN P. IANNI  
 CERTIFIED SOIL SCIENTIST

REFERENCE MADE TO A MAP ENTITLED "PLAN PREPARED FOR EUGENE M. DICKENSON & GAIL M. DICKENSON NO. 2224 BOSTON TURNPIKE COVENTRY, CONN. BOUNDARY SURVEY SCALE: 1"=40' DATE: 12/17/85 FILE NO. 850112 SHEET 1 OF 1 HOLMES & HENRY ASSOCIATES CONSULTING ENGINEERS LAND SURVEYORS LAND PLANNERS P.O. BOX 238 COVENTRY, CONNECTICUT (203) 742-0340."

TO THE BEST OF MY KNOWLEDGE AND BELIEF THIS MAP IS SUBSTANTIALLY CORRECT AS NOTED HEREON. THIS SURVEY AND MAP HAS BEEN PREPARED IN ACCORDANCE WITH SECTIONS 20-300b-1 THRU 20-300b-20 OF THE REGULATIONS OF CONNECTICUT STATE AGENCIES "MINIMUM STANDARDS FOR SURVEYS AND MAPS IN THE STATE OF CONNECTICUT" AS ENDORSED BY THE CONNECTICUT ASSOCIATION OF LAND SURVEYORS, INC. IT IS A LIMITED PROPERTY SURVEY ZONING LOCATION SURVEY BASED ON A SURVEY CONFORMING TO HORIZONTAL ACCURACY CLASS A-2 AND TOPOGRAPHIC ACCURACY CLASS T-2 AND IS INTENDED TO BE USED FOR ZONING PURPOSES. THIS MAP IS NOT VALID WITHOUT A LIVE SIGNATURE AND EMBOSSED SEAL.



SOILS LEGEND

WXA WOODBRIDGE FINE SANDY LOAN, 0 TO 3 PERCENT SLOPES (FROM TOLLAND COUNTY SOIL SURVEY)

**PARKING TABLE**

SIZE OF PARKING SPACE	REQUIRED PARKING	PARKING PROVIDED
DELI: 1/3 SEATS (22+3) = 8		12
RETAIL: 1/200SF (230) = 200		29
		= 12

**Town of Coventry**  
 OFFICE OF PLANNING, DEVELOPMENT, ZONING, AND INLAND WETLANDS (860) 742-4062

CERTIFIED MAIL # P 206 220 210  
 April 16, 1998

Gail M. Dickenson  
 732 Bolton Road  
 Vernon CT 06066

Dear Ms. Dickenson:

At its regular meeting on April 13, 1998, the Coventry Planning and Zoning Commission made the following decisions:

To approve special permit application 98-04S of Gail M. Dickenson for the construction of a commercial building on existing C-2 lot. Property is located on Boston Turnpike (Assessor's Map 9, Block 11, Lot 28); C-2 Zone.

The following condition applies:

The applicant to follow through with the current proposal for drainage as approved by the Town Engineer or the applicant, the Town Engineer and the State DOT all come to an agreement on drainage to include catch basins.

The Commission also approved the waiver of Section 11.5 which required a dustless surface with the condition that the Town Engineer approve the surface material chosen.

Please see the attached information sheet regarding the filing of the 8-3d with the Town Clerk's office and also the filing of the final mylar(s).

If you have any questions, please call me at 742-4062.

Sincerely,

*Eric M. Trout*  
 Eric M. Trout  
 Director of Planning and Development

EMT/lpc

cc: Holmes and Henry Associates

APPROVED SPECIAL PERMIT  
 COVENTRY  
 PLANNING AND ZONING COMMISSION

Chairman/Secretary \_\_\_\_\_ Date \_\_\_\_\_

Approval Date \_\_\_\_\_ Completion Date \_\_\_\_\_ Renewal Date \_\_\_\_\_

UTILITIES SHOWN ON THIS MAP WERE DERIVED FROM FIELD LOCATIONS AND EXISTING MAPPING. CONTRACTOR TO VERIFY LOCATIONS AND DEPTH IN THE FIELD PRIOR TO THE START OF ANY CONSTRUCTION. "CALL BEFORE YOU DIG (1-800-922-4455)."

PLAN PREPARED FOR  
 EUGENE M. DICKENSON & GAIL M. DICKENSON


BOSTON TURNPIKE COVENTRY, CT.

ZONING LOCATION SURVEY

SCALE: 1"=20' DATE: 1/27/98 FILE NO. 850112 C SHEET 1 OF 2

HOLMES & HENRY ASSOCIATES LLC  
 CONSULTING ENGINEERS  
 LAND SURVEYORS - LAND PLANNERS  
 2179 BOSTON TPKE. COVENTRY, CT 06238  
 (860) 742-0340

REVISIONS: 3/3/98 LANDSCAPE 4/2/98 TOWN REVIEW COMMENTS  
 6/18/98 APPROVAL LETTERS & P&Z CONDITIONS  
 12/15/98 SETBACK & GRADING ONLY



**EROSION AND SEDIMENTATION CONTROL PLAN NARRATIVE**

IN ORDER TO PREVENT DAMAGE TO NEARBY SENSITIVE AREAS, DEVELOPMENT OF THIS SITE SHALL COMPLY WITH PUBLIC ACT 83-388. THE DEVELOPER SHALL COMPLY WITH THE PROCEDURES AND CONTROL MEASURES DETAILED IN THE CONNECTICUT GUIDELINES FOR SOIL EROSION AND SEDIMENT CONTROL. THE FOLLOWING GENERAL PRINCIPLES ARE TO BE FOLLOWED TO PROVIDE AN EFFECTIVE EROSION AND SEDIMENTATION CONTROL PROCEDURE:

- KEEP LAND DISTURBANCE TO A MINIMUM. PLAN THE PHASES OF DEVELOPMENT SO THAT ONLY THE AREAS WHICH ARE ACTIVELY BEING DEVELOPED ARE EXPOSED. ALL OTHER AREAS SHOULD HAVE NATURAL VEGETATION PRESERVED, HAVE A GOOD COVER OF TEMPORARY OR PERMANENT VEGETATION ESTABLISHED, OR BE HEAVILY MULCHED.
- STABILIZE DISTURBED AREAS WITH TEMPORARY OR PERMANENT MEASURES AS QUICKLY AS POSSIBLE AFTER THE LAND IS DISTURBED.
- KEEP RUNOFF VELOCITIES LOW BY KEEPING SLOPE LENGTHS SHORT, GRADIENTS GENTLE, AND PRESERVING INTERMITTENT AREAS OF VEGETATIVE COVER.
- PROTECT DISTURBED AREAS BY PREVENTING RUNOFF FROM DRAINING THROUGH THEM. USE UPHILL DIVERSIONS WHERE PRACTICAL.
- INSTALL PERIMETER CONTROL MEASURES (SILT FENCE/S/HAY BALES). THIS PRACTICE MOST EFFECTIVELY ISOLATES THE DISTURBED AREA FROM ADJACENT AREAS TO BE PROTECTED. EXTENSIVE USE OF SILT FENCING IS RECOMMENDED BOTH TO DETAIN RUNOFF AT EXPECTED DISCHARGE AREAS AND AS INSURANCE TO MINIMIZE DAMAGE SHOULD THE PRECEDING MEASURES FAIL.
- PERIODICALLY CHECK AND MAINTAIN THE ERS CONTROL MEASURES DURING THE CONSTRUCTION PERIOD ESPECIALLY PRIOR TO EXPECTED STORMS.
- ASSIGN THE RESPONSIBILITY FOR IMPLEMENTATION AND MAINTENANCE OF ERS CONTROL MEASURES TO ONE PERSON AT THE CONSTRUCTION SITE. PROVIDE THE TOWN WITH THAT PERSON'S WORK AND HOME PHONE NUMBERS IN CASE OF EMERGENCY.

**GENERAL NOTES**

SEED BED SITE PREPARATION  
FINE GRADE AND RAKE SOIL SURFACE TO REMOVE STONES LARGER THAN 2" IN DIAMETER. INSTALL SEEDER EROSION CONTROL DEVICES SUCH AS SURFACE WATER DIVERSIONS. APPLY LIME AT A RATE OF 2 TONS/AC. OR 90 LBS/1000 SQ. FT. FERTILIZE WITH 10-10-10 AT A RATE OF 300 LBS/AC. OR 11 LBS PER 1000 SQ. FT. WORK LINE AND FERTILIZER INTO SOIL UNIFORMLY TO A DEPTH OF 4" WITH A WISE, SPRINGTOOTH HARROW OR OTHER SUITABLE EQUIPMENT FOLLOWING THE CONTOUR LINES.

SEED APPLICATION  
APPLY SEED MIXTURE FROM CHART BELOW BY HAND, CYCLONE SEEDERS OR HYDROSEEDER. INCREASE SEED MIXTURE BY 10% IF HYDROSEEDER IS USED. LIGHTLY DRAG OR ROLL THE SEEDER SURFACE TO COVER SEED. SEEDING SHOULD BE DONE BETWEEN THE TIMES SHOWN ON THE CHART BELOW. IF SEEDING CANNOT BE DONE DURING THESE TIMES, REPEAT MULCHING PROCEDURE UNTIL SEEDING CAN TAKE PLACE.


MULCHING  
IMMEDIATELY FOLLOWING SEEDING, MULCH THE SEEDER SURFACE WITH STRAW OR HAY AT A RATE OF 1.5 TO 2 TONS/AC. SPREAD MULCH BY HAND OR MULCH BLOWER. PUNCH MULCH INTO SOIL SURFACE WITH TRACK MACHINE OR DISK HARROW SET STRAIGHT UP. MULCH MATERIAL SHOULD BE "TUCKED" APPROXIMATELY 2-3" INTO THE SOIL SURFACE.

USE	LB/1000 S.F.	SEED MIXTURE	SEEDING DATES
PERMANENT LAWN	0.45	KENTUCKY BLUEGRASS	04/15 - 06/15
	0.45	CREeping RED FESCUE	08/15 - 09/15
	0.10	PERENNIAL RYEGRASS	
	1.00		
SLOPES & COARSE LAWN	0.45	CREeping RED FESCUE	
	0.05	RETOP	
	0.45	TALL FESCUE	
	0.95		
SLOPES (NO MOWING)	0.45	CREeping RED FESCUE	
	0.05	RETOP	
	0.35	CROWN VETCH WITH INOCULANT	
TEMPORARY COVER	3.00	WINTER RYE	04/15 - 06/15
	1.00	ANNUAL RYEGRASS	08/15 - 10/15


**E & S RESPONSIBILITY**

DURING CONSTRUCTION IT SHALL BE THE RESPONSIBILITY OF A PERSON DESIGNATED BY THE DEVELOPER WHO IS FAMILIAR WITH THESE PLANS AND WHO IS ON THE WORK SITE TO ASSUME RESPONSIBILITY FOR IMPLEMENTING THIS EROSION AND SEDIMENT CONTROL/CONSTRUCTION PHASING PLAN. THIS RESPONSIBILITY INCLUDES INSTALLATION AND MAINTENANCE OF CONTROL MEASURES, INFORMING ALL PARTIES ENGAGED ON THE CONSTRUCTION SITE OF THE REQUIREMENTS AND OBJECTIVES OF THE PLAN, NOTIFYING THE PLANNING AND ZONING COMMISSION OF ANY TRANSFER OF THIS RESPONSIBILITY AND FOR CONVEYING A COPY OF THE EROSION AND SEDIMENT CONTROL CONSTRUCTION PHASING PLAN IF AND WHEN THE TITLE OF THE LAND IS TRANSFERRED. THE RESPONSIBLE PARTY'S PHONE NUMBER WILL BE SUPPLIED TO TOWN AGENTS FOR EMERGENCY CALLS (I.E., STORM DAMAGE, ETC.).


THIS EROSION AND SEDIMENTATION CONTROL PLAN IS CERTIFIED TO BY THE COVENTRY PLANNING AND ZONING COMMISSION.




**BITUMINOUS CONCRETE CURB**  
Scale: 3/4" = 1'-0"



**PAVED PARKING AREA DETAIL**  
NOT TO SCALE




**CRUSHED STONE PARKING DETAIL**  
NOT TO SCALE




**SILT FENCE DETAIL**  
NO SCALE




**SILT POOL DETAIL**  
NO SCALE



**GREASE TRAP DETAIL**  
NOT TO SCALE




**CONCRETE LEACHING GALLERY - 4' x 8' x 12"**



**SPECIFICATIONS**

- Concrete Minimum Strength - 4,000 P.S.I. @ 28 Days
- Design Loading - Standard Units: 600 P.S.F. Optional Units: AASHTO HS20-44
- Steel Reinforcement - ASTM A-615 Grade 60
- Vent Holes and Inspection Manholes - Optional See Flowdiffuser Leaching Chamber Brochure



**LEACHING TRENCH CROSS-SECTION**  
SCALE

SELECT FILL (SEE DESIGN MANUAL ALSO) SHALL BE PLACED IN 6 TO 12" LAYERS OVER A SCARIFIED SURFACE FREE OF TOPSOIL TO FIVE FEET BEYOND THE SYSTEM PERIMETER. FILL MATERIAL SHALL BE COMPRISED OF CLEAN SAND AND GRAVEL FREE FROM ORGANIC MATTER AND DELETERIOUS SUBSTANCES. IT SHOULD CONTAIN NO MATERIAL LARGER THAN THREE INCHES DIAMETER. IT SHALL MEET THE FOLLOWING SIEVE ANALYSIS SPECIFICATIONS:

SIEVE SIZE	EFFECTIVE PARTICLE SIZE	% THAT MUST PASS SIEVE
#4 - #10	+4.75 mm - 2.00 mm	#4 100%
#10 - #40	+2.00 mm - 0.425 mm	#10 0%-100%
#40 - #100	+0.425 mm - 0.15 mm	#40 0%-50%
#100 - #200	+0.15 mm - 0.075 mm	#100 0%-20%
#200	LESS THAN 0.075 mm	#200 0%-5%

**CHECKLIST FOR EROSION CONTROL PLAN**

PROJECT: LOCATION: BOSTON TURNPIKE, COVENTRY, CT

PROJECT DESCRIPTION: COMMERCIAL BUILDING

PARCEL AREA: 1.399 AC

RESPONSIBLE PERSONNEL: GENE DICKENSON 742-0346

EROSION AND SEDIMENT CONTROL PLAN PREPARER: DONALD HOLMES, P.E. 9399

**EROSION CONTROL CHECKLIST**

WORK DESCRIPTION	LOCATION	DATE INSTALLED	INITIALS	DATE REMOVED	INITIALS
1. REVIEW OPERATIONS					
2. INSTALL ERS CONTROLS	SEE PLAN				
3. INSTALL SILT POOL	SEE PLAN				
4. BUILD SEPTIC SYSTEM	" "				
5. COMPLETE SITE WORK	" "				
6. REPLACE TEMP. MEASURES	" "				
7. MAINTAIN UNTIL STABLE	" "				


**MAINTENANCE OF MEASURES**

LOCATION	DESCRIPTION OR NUMBER	DATE	INITIALS

PROJECT DATES: DATE INITIALS

DATE OF GROUNDWORKING FOR PROJECT: DATE INITIALS

DATE OF FINAL STABILIZATION: DATE INITIALS



**EFFLUENT PUMP STATION**

**EFFLUENT PUMP NOTES**

SEWAGE IS TO BE PUMPED BY AN EFFLUENT PUMP (GOULDS, MEYERS, OR EQUAL) IN A 1000 GALLON CONCRETE PUMP CHAMBER. THE PUMP IS TO BE CAPABLE OF PUMPING AT A RATE OF 10 GPM. AGAINST A TOTAL HEAD OF 10 FEET. PUMPING INTERVALS ARE TO BE THREE OR FOUR PERIODS PER 24 HOURS AND ARE EXPECTED TO DISCHARGE APPROXIMATELY 175 GALLONS DURING EACH PERIOD. AFTER THE INTERIOR DIMENSIONS OF THE PUMP CHAMBER ARE DETERMINED, THE ENGINEER WILL ASSIST WITH THE LOW LEVEL, HIGH LEVEL, AND ALARM SETTINGS.

EFFLUENT IS TO BE ALLOWED TO DRAIN FROM THE SEWER FORCE MAIN AFTER EACH CYCLE. IF THE PUMP DOES NOT ALLOW FREE BACKFLOW WHEN OFF THEN A SMALL RELIEF FITTING MUST BE PROVIDED.

THE CONTRACTOR MUST OBTAIN PLUMBING AND ELECTRICAL PERMITS FROM THE BUILDING OFFICIAL. JUNCTION BOXES MUST BE PROPERLY LOCATED AND BE CORROSION/EXPLOSION PROOF IF IN THE CHAMBER.

THE DESIGN ENGINEER SHALL SUPERVISE THE STAKING OF THE SEPTIC SYSTEM AND SET A LOCAL BENCHMARK.

**BASIS OF SEPTIC SYSTEM DESIGN**

1.) THE SEWAGE SYSTEM DESIGN CAPACITY IS:  
RETAIL: FLOW = 2301 SQ. FT. FLOOR AREA @ 0.1 GPD. = 230 GPD.  
AREA REQ'D. = 230 GPD./1.8 GPD. PER SQ. FT. = 192 SQ. FT.

RESTAURANT: FLOW = 23 SEATS X 2 PER DAY X 10 GPD. PER SEAT = 460 GPD.  
AREA REQ'D. = 460 GPD./0.7 GPD. PER SQ. FT. = 767 SQ. FT.

TOTAL AREA REQUIRED = 192 + 767 = 959 SQUARE FEET

2.) MLSS: PERC. RATE = 10-20 MIN/INCH  
SLOPE = 3.3%  
RESTRICTIVE LAYER = 18"  
FLOW = 690 GPD.  
48 HF X 690/300 FF X 1.5 PF = 166 FEET  
LENGTH PROVIDED = 169 FEET

3.) PROVIDE: 64 L.F. OF 12" HIGH, 4' X 8' CONCRETE GALLERIES (8 UNITS) AT 3.9 SQ. FT. PER FT. = 377 SQ. FT.  
AND  
210 L.F. OF 4' WIDE STONE TRENCH AT 3 SQ. FT. PER FT. = 630 SQ. FT.  
TOTAL EFFECTIVE AREA = 377 + 630 = 1007 SQ. FT.

4.) PROVIDE: 1000 GAL. CONCRETE EXTERNAL GREASE TRAP  
1000 GAL. CONCRETE SEPTIC TANK  
1000 GAL. CONCRETE PUMP CHAMBER  
ALL THREE TO HAVE MANHOLES TO GRADE

TRENCH AND GALLERY BOTTOMS ARE TO BE NO MORE THAN 0" BELOW ORIGINAL GRADE PRIOR TO STRIPPING TOPSOIL. CONTRACTOR TO STRIP ALL TOPSOIL OFF THE ENTIRE LEACHING AREA AND SCARIFY THE SURFACE PRIOR TO PLACEMENT OF FILL PAD. SEPTIC AREA FILL IS TO BE MODERATELY PERMEABLE (TARGET PERC. 1-5 MIN./INCH) SELECT SAND FILL AS DESCRIBED BY THE STATE HEALTH DEPARTMENT WITH LESS THAN 5% FINE FRACTION INSTALLED IN 6" LIFTS AND COMPACTED BY BULLDOZER.

THE GALLERIES SHALL BE SURROUNDED BY AT LEAST 12" OF 1" STONE TO THE TOP OF THE STRUCTURE AND COVERED BY FILTER FABRIC. THERE IS TO BE NO STONE UNDER THE GALLERIES. THE LEACHING GALLERIES ARE TO BE H-20 RATED FOR TRAFFIC LOAD.

FREEZE PROTECTION SHALL BE PROVIDED FOR THE SEWER FORCE MAIN. IT SHALL BE EITHER INSTALLED BELOW THE FROST LINE OR BACK DRAINAGE ALLOWED INTO THE PUMP CHAMBER.

**Town of Coventry**  
1712 Main Street  
P.O. Box 189  
Coventry, CT 06238  
Fax: (860) 742-5770 Police  
Fax: (860) 742-8911 Town Hall

OFFICE OF PLANNING, DEVELOPMENT, ZONING, AND INLAND WETLANDS (860) 742-4062

CERTIFIED MAIL # P 206 220 216  
April 16, 1998

Gail M. Dickenson  
732 Bolton Road  
Vernon CT 06238

Dear Ms. Dickenson:

At its regular meeting on April 13, 1998, the Coventry Planning and Zoning Commission made the following decision:

To approve the sign permit for special permit application 98-04S of Gail M. Dickenson for the property located on Boston Turnpike (Assessor's Map 9, Block 11, Lot 28), C-2 Zone, with the conditions that the sign as proposed with the photograph and drawing submitted for the file meets the applicable sign regulations and the lettering, when determined, is also compliant.

I wish to remind you that this sign approval does not constitute a zoning permit from the zoning enforcement officer, he will need to see the exact location of the proposed sign.

Sincerely,

Eric M. Trot  
Director of Planning and Development

EMT/pc  
cc: Holmes and Henry Associates

TEST HOLE DATA  
OBSERVED BY ROB MILLER, TOWN SANITARIAN  
ON 3/26/96

TEST HOLE	DEPTH	SOIL TYPE
TEST HOLE A	0' - 9'	TOPSOIL
	9' - 26"	BROWN FINE SANDY LOAM
	26" - 84"	GAY BROWN LOAMY SAND FIRM TILL
	SEE PAGE AT 22"	
	MOTTLING AT 22"	
	NO LEDGE	
TEST HOLE B	0' - 10"	TOPSOIL
	10' - 26"	BROWN FINE SANDY LOAM
	26" - 84"	GRAY BROWN LOAMY SAND HARD PAN
	SEE PAGE AT 18"	
	MOTTLING AT 14"	
	NO LEDGE	
TEST HOLE C	0' - 16"	TOPSOIL
	16" - 20"	BROWN FINE SANDY LOAM
	20" - 84"	GRAY BROWN LOAMY SAND HARD PAN
	SEE PAGE AT 10"	
	MOTTLING AT 16"	
	NO LEDGE	
TEST HOLE D	0' - 8"	TOPSOIL
	8" - 19"	ORANGE BROWN SILTY LOAM
	19" - 72"	COMPACT TILL WITH GRAVEL
	MOTTLING AT 18"	
	WATER AT 124"	
	NO LEDGE	
TEST HOLE E	0' - 7"	TOPSOIL
	7" - 20"	ORANGE BROWN SILTY LOAM
	20" - 72"	COMPACT TILL
	SEE PAGE AT 23"	
	MOTTLING AT 18"	
	ROOTS TO 18"	
	NO LEDGE	
TEST HOLE F	0' - 9"	TOPSOIL
	9" - 19"	ORANGE BROWN SILTY LOAM
	19" - 80"	COMPACT TILL
	SEE PAGE AT 24"	
	MOTTLING AT 18"	
	NO LEDGE	
TEST HOLE G	0' - 8"	TOPSOIL
	8" - 20"	ORANGE BROWN SILTY LOAM
	20" - 80"	COMPACT TILL
	SEE PAGE AT 24"	
	MOTTLING AT 16"	
	ROOTS TO 16"	
	NO LEDGE	
TEST HOLE H	0' - 9"	ORGANIC FILL & TOPSOIL
	9" - 14"	BURIED TOPSOIL LAYER
	14" - 24"	ORANGE BROWN SILTY LOAM
	24" - 45"	COMPACT TILL
	MOTTLING AT 25"	
TEST HOLE I	0' - 8"	TOPSOIL
	8" - 19"	LIGHT BROWN SILTY LOAM
	19" - 76"	VERY COMPACT GRAY BROWN SANDY TILL
	SEE PAGE AT 24"	
	MOTTLING AT 17"	
	ROOTS TO 12"	
	NO LEDGE	

NOTE: ALL TEST HOLES HAVE STANDPIPS

APPROVED SPECIAL PERMIT  
COVENTRY  
PLANNING AND ZONING COMMISSION

Chairman/Secretary \_\_\_\_\_ Date \_\_\_\_\_

Approval Date \_\_\_\_\_ Completion Date \_\_\_\_\_ Renewal Date \_\_\_\_\_

PLAN PREPARED FOR  
**EUGENE M. DICKENSON & GAIL M. DICKENSON**

BOSTON TURNPIKE COVENTRY, CT.

E & S NARRATIVE / SEPTIC DETAILS

SCALE: SHOWN DATE: 1/27/98 FILE NO: 850112 C SHEET 2 OF 2

HOLMES & HENRY ASSOCIATES LLC  
CONSULTING ENGINEERS  
LAND SURVEYORS - LAND PLANNERS  
2179 BOSTON TPKE COVENTRY, CT 06238  
(860) 742-0340

REVISIONS: 4/2/98 TOWN REVIEW COMMENTS 12/15/98 "SELECT FILL"  
6/19/98 APPROVAL LETTERS B.P.2 CONDITIONS  
12/2/98 SEPTIC ONLY